

Evidence-Bench™



Designed for Easy Evidence Processing

- Evidence-Bench Allows For Mobile Forensic Evidence Processing in Your Lab, Garage or Evidence Room

Evidence-Bench 72



"The World's Most Extensive Selection of Containment Solutions."



Schedule
Contract GS-07F5832P



CONTENTS:

- Product Overview (p.2)
- Specifications (p.3)
- Warranty (p.4)

INTRODUCTION

The Air Science® Evidence-Bench series of laboratory work tables are designed specifically for high volume processing of forensic evidence by multiple users. Professional design and construction features offer convenience during use, cleaning and maintenance.

APPLICATIONS

Vertical laminar flow cabinets are intended for use in non-hazardous applications where user protection from biologicals or biohazardous byproducts is not required.

Forensic Investigation and Processing

AIRFLOW POD

The optional drop-in airflow pod permits efficient processing of evidence when using powders and/or chemicals.

- Based on the [Air Science Multiplex™ Filtration](#) technology, the airflow pod is a high efficiency containment system that protects the user and the environment from hazardous vapors or powders generated at the stainless steel work surface with downflow air movement.



Deep into its second generation, Air Science embraces the diversity and cultural heritage of the founders and co-workers who are continuing a tradition of excellence. Demonstrating a commitment to adaptation, inclusion and quality output from a United States-based company with a domestic and global reach.

120 6th Street, Fort Myers, FL 33907
Toll Free. 800-306-0656 \ www.airscience.com

- Unrestricted front and side access facilitates applications requiring complex and intensive involvement.
- The airflow pod eliminates putrid odors that may be emitted from the evidence being processed.

DESIGN FEATURES

- A. Epoxy resin work top chemical resistant
- B. Evidence kraft paper dispenser
- C. Heavy duty frame
- D. Locking wheels, heavy duty, non-marking
- E. Lower open shelf for storage
- F. Two locking supply compartments
- G. Open access from multiple sides
- H. Optional airflow pod filtration shown; see Accessories
- I. Optional 16 outlet power strip shown; see Accessories
- J. Optional magnifying lamp shown; see Accessories



EVB-72 shown with accessories.

CONTROL

The **basic control panel** is standard and includes an On/Off switch and Filter Blockage alarm.



Basic Control Panel

KEY FEATURES

- Kraft paper dispenser.
- Lockable storage compartments to secure tools.
- Open storage shelf.
- Wheels allowing the bench to be moved throughout the building wherever processing needs to take place.
- Optional airflow pod.




Through our partner company [Filtco Filters](#), Air Science is a single source supplier of all pre-filters, carbon filters and HEPA/ULPA filters used in our products.


Specifications are subject to change without notice or obligation on the part of Air Science. For questions contact Air Science.

CONTENTS:

- Product Overview (p.2)
- Specifications (p.3)
- Warranty (p.4)



Side View



Evidence-Bench EVB-72

MODEL	DIMENSIONS		WEIGHT (lbs/Kg)	
	External (W x D x H)	Shipping (W x D x H)	Net	Ship
EVB-72	72" x 28" x 36" 1828 x 711 x 914 mm	80" x 40" x 45" 2032 x 1016 x 1143 mm	325 / 147	400 / 182

PRODUCT SPECIFICATIONS

Filtration	EVB-72
Airflow (Optional)	<... user adjustable, up to 300cfm ...>
Construction	EVB-72
Finish	<... Epoxy coated steel frame ...>
Work Surface	<... Black epoxy resin, chemical resistant ...>
Kraft Paper Dispenser	<... Standard ...>
Locking Wheels	<... Non-marking heavy duty caster wheels ...>
Shelf	<... Standard ...>
Drawers	<... Two, key locking, left hand side mount standard ...>

OPTIONS & ACCESSORIES

Option	Description	Part Number
Drop-In Airflow Pod	Adds operator protection from particulates or odors emitted from the work surface. Perforated stainless steel insert creates negative pressure to pass airflow over filter.	P5-24-HEAD-EVB
Magnifying Lamp	Integrated light within 7" diameter 3-diopter magnifying lens. Mounted on extension arm.	MAG-L
Power Package Outlet Strip	Front mounted power strip, 115v or 230v options available.	PSTRIP
Stainless Steel Work Surface	Available substitute for standard phenolic resin surface.	TRAY-EVB-SS
Adjustable Leveling Feet	Leveling feet replace standard casters when a fixed installation is desired.	CART-LEVEL
Cup Sink	Polyethylene cup sink (3" x 5" x 9") is fitted into the base tray. Other sizes, materials available. Contact Air Science to order.	SINK
Water Faucet	Standard 3/8" NPT hose connection. Specify location when ordering.	SF-WATER

** Factory installed. Specify when ordering.
Specifications are subject to change without notice.
Contact Air Science for custom sizes and options not listed herein.*

CONTENTS:

- Product Overview (p.2)
- Specifications (p.3)
- Warranty (p.4)

WARRANTY

This product is protected by the Air Science **Legacy Lifetime Warranty™** which starts on the date of shipment from our factory. This limited warranty is the result of thousands of successful Air Science production applications in pharmaceutical, laboratory, forensic, industrial and educational applications.

This warranty covers defects in materials and workmanship. Our liability under the Legacy Lifetime Warranty is, at our option, to repair or replace any defective parts of this equipment if you document that these parts were defective at the time we sold the product to you. Normal conditions apply.



For details visit the [Service section](#) of our website at www.airscience.com.

STANDARDS & COMPLIANCE

Quality Management Systems	ISO 9001:2015
Environment	ISO 14001:2015 ENERGY STAR® Partner



120 6th Street \ Fort Myers, FL 33907
T. 239-489-0024 \ **Toll Free.** 800-306-0656 \ **F.** 800-306-0677
www.airscience.com

The information contained in this manual and the accompanying product are copyrighted and all rights are reserved by Air Science. Air Science reserves the right to make periodic minor design changes without obligation to notify any person or entity of such change.



Schedule
 Contract GS-07F5832P

